

05/31/00
j406 U.S. PTO

06-05-00

A

Please type a plus sign (+) inside this box → ☐

PTO/SB/05 (4/98)
Approved for use through 09/30/2000. OMB 0651-0032
Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

UTILITY PATENT APPLICATION TRANSMITTAL (Only for new nonprovisional applications under 37 C.F.R. § 1.53(b))	Attorney Docket No.	P3718
	First Inventor or Application Identifier	Vijan Shastri et al.
	Title	Method and Apparatus for Indicating Story-Line Changes by Mining Closed-Caption-Text
	Express Mail Label No.	EJ745193662US

APPLICATION ELEMENTS See MPEP chapter 600 concerning utility patent application contents.	ADDRESS TO: Assistant Commissioner for Patents Box Patent Application Washington, DC 20231
1. <input checked="" type="checkbox"/> * Fee Transmittal Form (e.g., PTO/SB/17) (Submit an original and a duplicate for fee processing)	5. <input type="checkbox"/> Microfiche Computer Program (Appendix)
2. <input checked="" type="checkbox"/> Specification [Total Pages 34] (preferred arrangement set forth below) <ul style="list-style-type: none">- Descriptive title of the Invention- Cross References to Related Applications- Statement Regarding Fed sponsored R & D- Reference to Microfiche Appendix- Background of the Invention- Brief Summary of the Invention- Brief Description of the Drawings (if filed)- Detailed Description- Claim(s)- Abstract of the Disclosure	6. Nucleotide and/or Amino Acid Sequence Submission (if applicable, all necessary) <ul style="list-style-type: none">a. <input type="checkbox"/> Computer Readable Copyb. <input type="checkbox"/> Paper Copy (identical to computer copy)c. <input type="checkbox"/> Statement verifying identity of above copies
3. <input checked="" type="checkbox"/> Drawing(s) (35 U.S.C. 113) [Total Sheets 8]	ACCOMPANYING APPLICATION PARTS
4. Oath or Declaration [Total Pages 2] <ul style="list-style-type: none">a. <input checked="" type="checkbox"/> Newly executed (original or copy)b. <input type="checkbox"/> Copy from a prior application (37 C.F.R. § 1.63(d)) (for continuation/divisional with Box 16 completed)<ul style="list-style-type: none">i. <input type="checkbox"/> DELETION OF INVENTOR(S) Signed statement attached deleting inventor(s) named in the prior application, see 37 C.F.R. §§ 1.63(d)(2) and 1.33(b).	7. <input type="checkbox"/> Assignment Papers (cover sheet & document(s))
* NOTE FOR ITEMS 1 & 13: IN ORDER TO BE ENTITLED TO PAY SMALL ENTITY FEES, A SMALL ENTITY STATEMENT IS REQUIRED (37 C.F.R. § 1.27), EXCEPT IF ONE FILED IN A PRIOR APPLICATION IS RELIED UPON (37 C.F.R. § 1.28).	8. <input type="checkbox"/> 37 C.F.R. § 3.73(b) Statement (when there is an assignee) <input checked="" type="checkbox"/> Power of Attorney
	9. <input type="checkbox"/> English Translation Document (if applicable)
	10. <input type="checkbox"/> Information Disclosure Statement (IDS)/PTO-1449 <input type="checkbox"/> Copies of IDS Citations
	11. <input type="checkbox"/> Preliminary Amendment
	12. <input checked="" type="checkbox"/> Return Receipt Postcard (MPEP 503) (Should be specifically itemized)
	13. <input checked="" type="checkbox"/> * Small Entity Statement(s) <input type="checkbox"/> Statement filed in prior application, Status still proper and desired (PTO/SB/09-12)
	14. <input type="checkbox"/> Certified Copy of Priority Document(s) (if foreign priority is claimed)
	15. <input checked="" type="checkbox"/> Other: Check for fees

16. If a CONTINUING APPLICATION, check appropriate box, and supply the requisite information below and in a preliminary amendment:
☐ Continuation ☐ Divisional ☒ Continuation-in-part (CIP) of prior application No: 09 / 354,525
Prior application information: Examiner Unknown Group / Art Unit: 2775
For CONTINUATION or DIVISIONAL APPS only: The entire disclosure of the prior application, from which an oath or declaration is supplied under Box 4b, is considered a part of the disclosure of the accompanying continuation or divisional application and is hereby incorporated by reference. The incorporation can only be relied upon when a portion has been inadvertently omitted from the submitted application parts.

17. CORRESPONDENCE ADDRESS

☐ Customer Number or Bar Code Label (Insert Customer No. or Attach bar code label here) or ☐ Correspondence address below

Name	Donald R. Boys of Central Coast Patent Agency				
Address	P.O. Box 187				
City	Aromas	State	CA.	Zip Code	95004
Country	US	Telephone	831-726-1457	Fax	831-726-3475

Name (Print/Type)	Donald R. Boys	Registration No. (Attorney/Agent)	35074
Signature		Date	05/31/2000

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Box Patent Application, Washington, DC 20231.

Certificate of Express Mailing

"Express Mail" Mailing Label Number: EJ745193662US

Date of Deposit: 05/31/2000

Ref: Case Docket No.: P3718

First Named Inventor: Vijnan Shastri et al.

Serial Number: NA

Filing Date: 05/31/2000


Title of Case: Method and Apparatus for Indicating Story-Line Changes by Mining Closed-Caption-Text

I hereby certify that the attached papers are being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 C.F.R. 1.10 on the date indicated above and addressed to the Commissioner of Patents and Trademarks, Washington D.C. 20231

1. Utility patent application transmittal.
2. 34 sheets of specification.
3. 8 sheets of drawings.
4. Fee transmittal.
5. Duplicate fee transmittal.
6. Declaration and Power of Attorney.
7. Verified Statement Claiming Small Entity Status.
8. Check for fees in the amount of \$345.00.
9. Certificate of express mailing.
10. Postcard listing contents.

Mark A. Boys

(Typed or printed name of person mailing paper or fee)


(Signature of person mailing papers or fee)

PTO/SB/10 (10-96)
Approved for use through 10/31/99 OMB 0651-0031
Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

**VERIFIED STATEMENT CLAIMING SMALL ENTITY STATUS
(37 CFR 1.9(f) & 1.27(c))--SMALL BUSINESS CONCERN**

Docket Number (Optional)
P3718

Applicant or Patentee: Vijnan Shastri et al.

Application or Patent No.: NA

Filed or Issued: NA

Title: Method and Apparatus for Indicating Story-Line Changes by Mining Closed-Caption-Text

I hereby declare that I am

- ☐ the owner of the small business concern identified below:
☒ an official of the small business concern empowered to act on behalf of the concern identified below:

NAME OF SMALL BUSINESS CONCERN HoTv, Inc.

ADDRESS OF SMALL BUSINESS CONCERN 11455 El Camino Real Suite 350, San Diego, CA 92130

I hereby declare that the above identified small business concern qualifies as a small business concern as defined in 13 CFR 121.12, and reproduced in 37 CFR 1.9(d), for purposes of paying reduced fees to the United States Patent and Trademark Office, in that the number of employees of the concern, including those of its affiliates, does not exceed 500 persons. For purposes of this statement, (1) the number of employees of the business concern is the average over the previous fiscal year of the concern of the persons employed on a full-time, part-time, or temporary basis during each of the pay periods of the fiscal year, and (2) concerns are affiliates of each other when either, directly or indirectly, one concern controls or has the power to control the other, or a third party or parties controls or has the power to control both.

I hereby declare that rights under contract or law have been conveyed to and remain with the small business concern identified above with regard to the invention described in:

- ☒ the specification filed herewith with title as listed above.
☐ the application identified above
☐ the patent identified above.

If the rights held by the above identified small business concern are not exclusive, each individual, concern, or organization having rights in the invention must file separate verified statements averring to their status as small entities, and no rights to the invention are held by any person, other than the inventor, who would not qualify as an independent inventor under 37 CFR 1.9(c) if that person made the invention, or by any concern which would not qualify as a small business concern under 37 CFR 1.9(d), or a nonprofit organization under 37 CFR 1.9(e).

- Each person, concern, or organization having any rights in the invention is listed below.
☒ no such person, concern, or organization exists.
☐ each such person, concern, or organization is listed below

Separate verified statements are required from each named person, concern or organization having rights to the invention averring to their status as small entities. (37 CFR 1.27)

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate. (37 CFR 1.28(b))

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application, any patent issuing thereon, or any patent to which this verified statement is directed.

NAME OF PERSON SIGNING Kamal Bhadada

TITLE OF PERSON IF OTHER THAN OWNER Vice President

ADDRESS OF PERSON SIGNING 11455 El Camino Real Suite 350, San Diego, CA 92130

SIGNATURE Kamal Bhadada DATE 5/30/00

**Method and Apparatus for Indicating Story-Line Changes by Mining
Closed-Caption-Text**
by inventor(s)

5

Vijnan Shastri, Indranil Chakraborty

Field of the Invention

10

The present invention is in the field of video broadcasting, and
pertains more particularly to methods and apparatus for generating
interactive thumbnails representing story-line-changes associated with a
media-rich presentation by exploiting CC text.

15

Cross-Reference to Related Documents

The present invention is a continuation-in-part to a patent application
09/354,525 entitled "*Media-Rich Interactive Video Magazine*" filed on
20 07/15/99, disclosure of which is incorporated herein by reference.

Background of the Invention

25

With continuing development of new and better ways of delivering
television and other video presentations to end users, and parallel development
of computerized information systems, such as the Internet and the associated
World Wide Web (WWW), there have been concerted efforts to integrate
various systems to provide enhanced information delivery and entertainment
30 systems. For example, developers are introducing integrated systems combining

TVs with computer subsystems, so a TV may be used as a WEB browser, or a PC may be used for enhanced TV viewing.

In some systems computer elements, such as a CPU, memory, and the like, are built into the familiar chassis of a TV set. In such a system, the TV screen becomes the display monitor in the computer mode. In such a system, conventional TV elements and circuitry are incorporated along with the computer elements, and capability is provided for a user to switch modes, or to view recorded or broadcast video with added computer interaction. One may thus, with a properly equipped system, select to view analog TV programs, digital TV programs, conventional cable TV, satellite TV, pay TV from various sources, and browse the WWW as well, displaying WEB pages and interacting with on-screen fields and relational systems for jumping to related information, databases, and other WEB pages. The capabilities are often integrated into a single display, that is, one may view a broadcast presentation and also have a window on the display for WEB interaction.

In some other systems, computer elements are provided in an enclosure separate from the TV, often referred to in the art as a set-top box. Set-top box systems have an advantage for providers in that they may be connected to conventional television sets, so end users don't have to buy a new TV along with the computer elements.

In such integrated systems, whether in a single enclosure or as set-top box systems, user input is typically through a hand-held device quite similar to a familiar remote controller, usually having infra-red communication with the set-top box or a receiver in the integrated TV. For computer modes, such as WEB browsing, a cursor is displayed on the TV screen, and cursor manipulation is provided by buttons or other familiar pointer apparatus on the remote. Select buttons are also provided in the remote to perform the familiar function of such

buttons on a pointer device, like a mouse or trackball more familiar to computer users.

Set-top boxes and computer-integrated TVs adapted as described above typically have inputs for such as a TV antenna (analog), cable TV (analog or
5 digital), more recently direct-satellite TV (digital), and may also connect to video cassette recorders and to mass storage devices such as hard disk drives and CD-ROM drives to provide a capability for uploading video data from such devices and presenting the dynamic result as a display on the TV screen.

The inventors note that the innovations and developments described
10 above provide enhanced ability to view and interact with video presentations, and that the quality of presentation and efficiency of interaction will be at least partly a function of the computer power provided and the sophistication and range of the hardware and software.

The present inventors have noted that even with the advances in
15 hardware and software so far introduced in the art, there is still considerable room for improvement, and the inventors have accordingly provided a unique system for processing video streams, determining topic changes, and marking the streams at topic change points with thumbnails, in some cases annotated. The system is particularly useful for preparing and presenting media-rich interactive
20 video presentations termed I-Mag by the inventors. Digital content presented in the interactive magazine taught by the co-related patent specification listed in the cross-reference section is generated in many instances from broadcast analog content that is converted to digital video during off-line authoring processes. Interactive thumbnails representing entry points to new video content offered in
25 the video magazine are generated using scene-change-detection technologies (SCD) and presentation time stamp (PTS) technologies, both of which are known in the art and to the inventor. SCD uses significant color changes to overall color levels from frame to frame to determine when a new video segment

or a significant story change has occurred in a video presentation. In this way, thumbnail pictures may be presented in a user-interface along with the video that is currently playing such that a user may interact with the thumbnails to jump to the represented portion of the video presentation or obtain additional information related to that section of the magazine or video segment.

In combination with SCD software, an off-line video editor must manually group and sort such thumbnail pictures for presentation in the interactive magazine. In many cases, an editor will view a presentation off-line while performing editing processes using automated as well as manual software processes to accomplish the task of completing an interactive magazine that is ready for download to users interacting with a central WEB-based server. Such off-line processing can be time consuming and can, at times, command considerable resources both human and machine.

It has occurred to the inventors that the time and resource dedicated to off-line authoring of raw video content that will eventually be included, for example, in an interactive video magazine, or for any other use, may be considerably reduced through automated processing. This requires that a more exact method than SCD be used for determining where content and topic changes occur in a video presentation. SCD technology, while very helpful, remains a non-exact procedure for determining scene changes requiring human supervision in order to correct mistakes made by the software. Moreover, success of SCD techniques may rely heavily on the type and format of raw content to be authored.

Interactive video content presented in the interactive magazine as known to the inventors is derived largely from analog video content that has been previously broadcast to the public such as news programs, movies made for TV, educational programs, and so on. Many of these programs are segmented such as a news program wherein several different stories are covered before going to

a commercial break. It becomes difficult for an editor using SCD technology using color change detection to determine, for example, the point at which one story ends and another begins in a news cast.

Therefore, what is clearly needed is a method and apparatus that can be
5 used to automatically and accurately detect when a topic or a story line changes in a raw video segment during off-line authoring of such content. Such a method would allow a video editor to concentrate on other editing tasks without being required to supervise the scene change detection process.

10

Summary of the Invention

In a preferred embodiment of the present invention a method for editing an analog video presentation is provided, comprising steps of (a)
15 extracting and time-stamping closed caption (CC) text; (b) digitizing the analog video; (c) determining the position of topic changes in the video presentation by analyzing the CC text; and (d) using the topic change positions in an edited version of the video presentation. Determination is made in part by comparing words in consecutive sentences in the CC text,
20 and the words may be nouns or adjectives, or both.

In some cases, in step (d) there may be a substep for selecting keyframes from the video presentation to be used in the edited version as thumbnails representing the topic changes. Further, the thumbnails may be arranged in an array together with a video presentation window in the edited
25 version, and selecting a thumbnail causes the video presentation to jump to the position of the keyframe in the video presentation. Also in some cases specific CC text is associated with individual ones of the thumbnails, and this

text is displayed in a separate window as a result of a mouseover or other selection action.

5 In another aspect of the invention a system for automatically creating presentations for a video magazine is provided, comprising a digitizer and separator for receiving an analog video presentation having closed-caption (CC) text, separating the CC text as text files, and digitizing the video presentation; and an editing station. The system is characterized in that the
10 editing station receives the digitized video and the text files, determines positions of topic changes in the video presentation by analyzing the CC text, and uses the topic change positions in preparing an edited version of the video presentation.

 Determination of topic change position is made in part by comparing
15 words in consecutive sentences in the CC text. The comparisons may involve nouns, adjectives, or both. Further, in preferred embodiments, the editing station selects keyframes from the video presentation to be used in the edited version as thumbnails representing the topic changes. The thumbnails may be arranged in an array together with a video presentation
20 window in the edited version, and selecting a thumbnail causes the video presentation to jump to the position of the keyframe in the video presentation.

 In some embodiments specific CC text is associated with individual ones of the thumbnails, and there is in these embodiments a text window for
25 displaying the specific CC text associated with each thumbnail, the text being displayed in response to a mouseover of each thumbnail. Also in some embodiments the output of the digitizer, being text files and digitized video presentations, is sent to the editing station via the Internet.

Given the present invention, taught in enabling detail below, for the first time an automated editing system is provided that can receive analog video presentation having closed-caption text, digitize the video and extract the text, and use the text to determine topic changes in the video.

5

Brief Description of the Drawing Figures

Fig. 1 is a system diagram illustrating an exemplary architecture for practicing the present invention.

10 Fig. 2 is a first entry page for a video magazine according to an embodiment of the present invention.

Fig. 3 is an second entry page for the video magazine.

Fig. 4 is a presentation and control page for a presentation provided by the video magazine.

15 Fig. 5 is a feedback page for feedback from clients in the video magazine.

Fig. 6 is an architectural overview of an off-line video collection and editing process according to an embodiment of the present invention.

20 Fig. 7 is a block diagram illustrating topic change detection and thumbnail-summary generation software according to an embodiment of the present invention.

Fig. 8 is a screen shot of an I-Mag user-interface illustrating topic-change thumbnails and a topic-summary block according to an embodiment of the present invention.

25

Description of the Preferred Embodiments

According to a preferred embodiment of the present invention, a
5 media-rich video magazine system is provided for education and
entertainment of clients of a presentation service. Fig. 1 illustrates an
architecture upon which the video-magazine system may be practiced. In
Fig. 1 a user's premise 101 has a display 118, which may be a television set
with computer integration, and a set top box 102 enabled to receive video
10 streams, in this case, by three different ports. Video may be received at box
102 via cable link 103 from a cable network 104 having a server 105, which
may alternately receive video via an Internet connection 106 for rebroadcast
from exemplary Internet servers 107, 108 and 109 in Internet cloud 110, the
servers loosely connected on Internet backbone 111. In most cases the cable
15 link is a one-way link not providing a backlink to the user to interact with a
video presentation served.

Box 102 in this example also has a satellite port 112 connected to a
satellite dish 113 for receiving video streams from a satellite network 114 via
a satellite 115 to which video stream is uploaded from a server 116
20 connected by link 117 to Internet cloud 110, and the box may thereby
receive video streams via the satellite link as well. Again, in most
conventional cases the satellite link is a one-way link, and no backlink is
provided to the user, although the backlink limitation is not inherent.

Box 102 in this embodiment also has a land-line telephony modem
25 connection 119 to an ISP 120 through which the box is connected to
Internet 110 via server 121. There are other means by which video streams
may be received by a user's station and by which the user may backlink to a
sender for interaction with the presentation system. Fig. 1 is meant to

illustrate several of the more common. In a simple case, as will be apparent with further disclosure below, a user with a PC may receive a video presentation and interact with that presentation according to an embodiment of the present invention through a single connection, such as a conventional Internet connection. Alternatively separate and disparate paths may be used for presentation to a user and user reaction using any of the alternatives apparent in architecture of Fig. 1, or other architectures.

In a preferred embodiment of the present invention a central server, typically a subscription server, is enabled to store and present a media-rich video magazine according to embodiments of the present invention to multiple clients (users). The subscription server may be any of the servers 107, 108, 109 in Fig. 1, server 121 of ISP 120, server 105 of cable station 104, or server 116 of satellite station 114. For illustration only this narrative will assume the subscription server is server 121 in ISP 120, and that all presentation and interaction is via land-line modem link 119. For this description Video Magazine software (Server software) 122 is illustrated as executing on server 121, and client software 123 is shown as executing on box 102.

The skilled artisan will be aware that the client station can take a number of forms, and there will be many client stations not all of the same form. All client stations, however, must be enabled to execute a client software to practice the invention. The arrangement shown is merely exemplary.

The video magazine made available to clients by server 121 (in this embodiment) has abstract features in common with more conventional hard-copy magazines. For example, in both cases authors compose presentations. In the hardcopy magazine the presentations are articles with pictures, while in the interactive video magazine of the present invention the presentations

are interactive video presentations with client interactivity mechanisms wherein a viewing client may interact with, manage, and control the presentation. The articles in both cases can be of various kinds, such as documentaries or fiction stories. Both kinds of magazine have editors who
5 assign tasks, control direction and content, and put together the various articles as a periodic new edition of the magazine. In both cases there may be *departments* and *letters to the editor* and the like. There are many other similarities.

Fig. 2 is a first page of an edition of an exemplary media-rich
10 Interactive magazine according to an embodiment of the present invention. Window 101 is a display on a display screen at a user's station, such as TV 118 of station 101 (Fig. 1). This first page may be considered analogous in some respects to a *table of contents* for a hardcopy magazine, except this first page has greatly enhanced functionality.

15 First page 101 has an ID logo 102 identifying this magazine as an edition of Innovatv Interactive magazine. A list of selectable entries 103 comprise the presentations available in the current edition of the magazine. Selection is by moving a cursor 106 to the area of a listing and *clicking on* the area. A *mouseover* changes the color of a bullet at the head of each
20 listing, indicating which presentation is about to be selected. The presentation which is thus highlighted also causes a picture to be displayed in a window 104, the picture being indicative of the presentation. In this example the *Chef Larry Interactive* presentation is highlighted, and a still of Chef Larry is displayed in window 104. A download button 105 is provided
25 in this example enabling a viewer/client to download from the server software for interacting with the server to view magazine presentations. This is, in this embodiment, client software 123 (Fig. 1).

Fig. 2 indicates there are six presentations in the current edition of the magazine, these being, besides Chef Larry Interactive, Surf 'n Skate, Skydive Interactive, ESPN - Basketball with Replay, Media Asia Movie Guide, and Channel2000 Interactive.

5 Fig. 3 is another view of first page 101 with cursor 106 moved to highlight Channel2000 Interactive, and it is seen that window 104 now has a new picture, this being a picture of a reporter and narrator for Channel2000 Interactive.

10 When a client selects one or another of the listed presentations shown in Figs. 2 and 3, a backlink signal goes to server 121 (Fig. 1), which responds by serving a new page to the client, this being a control and presentation page dedicated to the particular presentation selected. Fig. 4 is the control and presentation page for Chef Larry Interactive, and is described below in enabling detail as representative of all the other presentations
15 available in the magazine, all of the presentations having similar functionality.

20 The control and presentation page shown has a logo at the upper left for Chef Larry's Cuisine Club. A video window 201 provides an active video presentation selectable and controllable to a large degree by the viewer/client. The video presentation that will play in this case is one of three selectable from list 204. The three selections are *Rockfish en Papillote*, which shows in detail how to prepare the title dish; *Warm Spring Bean and Red Potato Salad*, which shows in detail how to make the side dishes to accompany the fish main course; and *Serving*, which shows the details of serving the courses properly and elegantly. Again selection is
25 made by moving cursor 106 and using a pointer device input, such as a mouse. In this particular case the *Rockfish en Papillote* video is selected.

 A dynamic time window 208 shows the current position of the video (0:00) and the total time (9:39) for the video. Play pause and stop buttons

207 are provided to enable the client to start, pause, and stop the video. A Stop signal causes the video to go to the start and wait for a Play signal.

In addition to starting, pausing and stopping, a set of thumbnails 202 is provided. Each thumbnail is a frame of the video at a natural scene change or transition point in the video. These may be thought of as Chapter headings in the video presentation. Note that there are eight thumbnails shown, but a scroll bar 203 enables there to be many more than the eight selectable thumbnails shown. No frames are shown in the thumbnails in Fig. 4 to avoid confusion of too much detail, but in the actual implementation the frames may be seen.

Selecting a thumbnail causes the video presentation to jump to the selected frame, and changes the time window 208 to indicate the time position in the video. Jumps may be from any position in the video to the selected position, and if the video is playing when a jump is made, the video automatically restarts at the jumped-to position. If the video is stopped or paused when a selection is made, the video jumps to the new position and indexes the time window, but waits for a play signal to play the video from the new position. One may thus jump to different related videos and to natural transition position within videos at will.

Window 209 provides additional info and selectable links. The text shown is a general comment for the video. When one selects a link in this window the video, if playing in window 201, goes to pause, and a new window (not shown) opens as a conventional browsing window to the new destination. When one leaves the new destination and closes the browsing window, the video resumes in window 201.

Window 210 provides text information specific to each video segment represented by a thumbnail. A row of buttons 211 across the bottom of window 211 enables a client to select content for this window.

Weblinks takes the client to related Web sites, and behavior is as described above for jumps to outside Web sites. *History* accesses events already past in the video. *Recipe* provides a printable recipe for the dishes illustrated and taught in the available videos. *Help* takes the client to a tutorial on how the magazine system works.

Home buttons 206 enable a client to go to one of two selectable *home* destinations. One if the Chef Larry Cuisine Club home page and the other a *RoadRunner* home page, which is an access point for interactive magazines of the kind taught herein, and for other content as well.

A *Feedback* button 205 takes a client to a feedback page shown exemplary in Fig. 5. The feedback page enables a client to answer a series of questions providing valuable feedback to the editors of the media-rich magazine. A scroll bar 501 enables the client to access all of the questions in a feedback list.

Just one of six available presentations in a media-rich Interactive Magazine has been taught herein, but the other five, although the appearance and implementation of interactive controls may differ (different backgrounds, different positions, certainly different video content related to the listed titles) the control and flow is similar. In each case a video window (201) is provided, there are Stop, Pause, and Play controls (207), each video presentation is parsed by thumbnails (202), more than one video on the title subject may be selectable (204), and extra windows with extra information and destinations are provided (209 and 210).

In alternative embodiment of the present invention a number of video magazines, each having plural presentation content and periodically updated to new content (just like a hardcopy magazine) may be made available through a subscription server. Again it is emphasized that the invention may be practiced in a variety of equipment configurations, both at the server and

5

10

15

20

25

(WAN), including the well-known Internet network may be substituted for Internet 603 provided the appropriate data transmission protocols are supported. Moreover, PSTN 603 may be a private rather than a public access telephony network.

5 System 601 describes a largely automated system using distributed components dedicated toward advancing the goal of the present invention. In this example, an off-line editing station 617 is provided and adapted by virtue of equipment and software for receiving and editing video content into a form acceptable for re-broadcast or Internet-based server-download to
10 users having the appropriate customer premises equipment (CPE).

 A video source 605 represents one of many possible sources for raw video content that may be selected for editing and ultimate inclusion into, for example, an interactive magazine ready for presentation. Source 605 may be a cable studio, a television studio, or any other entity having possession of
15 raw video content and equipment for transmitting the content for the purpose of authoring according to an embodiment of the present invention. Typically, source 605 handles a significant amount of analog content such as would be broadcast to public television and analog cable recipients. It is known that such analog content is typically closed-caption-enhanced (CC)
20 for the hearing impaired.

 An important object of the present invention is to exploit CC text for the purpose of determining topic changes to be used for various purposes, including the purpose of generating story-line changes and summary descriptions represented in many cases by thumbnails presented to users as
25 an interactive tool with an interactive magazine presentation. To this end, editing functions of station 617 are limited in description to those functions pertaining particularly to the present invention. However, it will be

appreciated that station 617 may perform a variety of other authoring functions and processes known to the inventor.

In this example, video source 605 loads analog video content such as news casts, educational programs and the like into an analog-to-digital
5 encoder machine 607 typically at the site of video source 605. The encoder, however, may be elsewhere in the system. Encoder 607 is adapted to convert analog video content into a digital format suitable for transport over a digital packet network (DPN), in this case, Internet 603.

Encoder 607 has an additional capability provided for detecting and
10 extracting CC text contained typically in the video blanking intervals (VBIs) of the analog video frames, and for recording the presentation time of the occurrence of CC text within the analog video. The output of encoder 607 is digital video organized in compressed data packets such as in the well-known Motion-Picture-Experts-Group (MPEG) or Audio Video Interleaved
15 (AVI) format and separate digital CC text files similarly organized into data packets.

The output from encoder 607 is uploaded, in this example, by virtue of an Internet access line 611 into a video-collection server (C-Server) 609 within Internet 603. It is noted that in some cases analog content may be
20 simply mailed to station 617 for editing purposes. However, the mechanism provided herein and illustrated by system 9 represents an automated enhancement for content delivery as is known to the inventor.

Collection server 609 is adapted to receive digital video and time-stamped CC text files from a plurality of content sources. Source 605 is
25 intended to represent such a plurality. Server 609 is illustrated as connected to an Internet backbone 613, which represents all of the lines and connection points making up the Internet network in a global sense. In this respect, there are no geographic limitations to source 605, or to end users

participating in the receipt and interaction with an interactive magazine as taught herein.

Editing station 617 has in this embodiment a video download server (VDS) 619. Server 619 is adapted to receive digital video content as well as digital CC text files from server 609 for video editing purposes in an off-line mode. Data connection between servers 609 and 619 is illustrated by an Internet-access line 615. Line 615 as well as line 611 between server 609 and encoder 607 may be any type of known Internet-access connection wired or wireless. Examples include cable/modem, ISP, DSL, ISDN, satellite, and so on.

Once content is received and (typically) registered in VDS 619, the content may be distributed for editing. A local area network (LAN) 620 is provided in this embodiment within station 617 and illustrated as connected to VDS 619. LAN 620 is adapted to support the appropriate communication and data transmission protocols used for transporting data over the Internet. Connected to LAN 620 are a reference server (RS) 625 and two exemplary editing workstations, workstation 623 and workstation 624. Workstations 623 and 624 are adapted as computer editing machines, which may be automated in some instances and manned in other instances. For the purpose of the present invention it will be assumed that stations 623 and 624 are un-manned and automated when performing the editing processes that are taught further below.

Workstations 623 and 624 are illustrated as computers, each comprising a processor/tower and a connected monitor which presents a graphical-user-interface (GUI). It is important to note here that a single workstation, if powerful enough, may practice the present invention without the aid of a second station. In this example, however, two workstations are

illustrated with each workstation performing different parts of the editing process according to an embodiment of the present invention.

RS 625 is adapted as a server containing reference data used by workstations 623 and 624 in the course of editing. The exact nature of the
5 above-mentioned reference data and the dedicated function of RS 625 is explained further below.

Workstation 623 has an instance of software (SW) 622, which is provided to execute thereon and adapted to edit and process CC text files associated with a digital presentation for the purpose of determining points
10 or junctures representing new topics or story-line-changes contained in the video. Workstation 621 has an instance of software (SW) 624, which is provided to execute thereon and adapted to utilize process results passed to it from workstation 623 for the purpose of selecting keyframes of a digital video segment and generating interactive thumbnails which represent the
15 junctures in the segment where a topic or story line has changed.

By virtue the separate natures of SW 622 and SW 624 as described above, it is noted herein that workstation 623 receives only CC text files from VDS 619 for processing while workstation 621 receives only the digital video segment associated with the CC text files received by workstation 623.
20 In this way, workstations 623 and 621 have a dependent relationship to each other and work in concert to complete editing processes for any given video segment. In this relationship, workstation 621 has a digital player (SW not shown) provided therein and adapted to allow workstation 621 to receive and play digital video for the purpose of selecting keyframes and generating
25 thumbnails representing those keyframes.

In an alternative embodiment, a single instance of SW of the present invention may be adapted with the capabilities of both instances 622 and 624, and may be provided on a single workstation adapted to receive both

CC text files and the associated video segments. In this case, workstations 623 and 621 would operate independently from one another and could work on separate video segments simultaneously.

In practice of the present invention, analog video content from
5 source 605 is loaded into digital encoder 607 wherein CC text is extracted from the VBI portions of the video to produce an output of CC text files time stamped to their original locations in the video segment. The analog video is converted to a digitized and compressed video stream. Output from encoder 607 is uploaded into c-server 609 in Internet 603 over access line
10 611. VDS server 619 retrieves associated video files and CC text files from server 609 over access line 615 either by pull or push technology.

VDS server 619 in this embodiment routes CC text files over LAN 620 to workstation 623 for processing while the associated video files are routed to workstation 621. Workstation 623 running SW 622 processes CC
15 text files according to an embodiment of the present invention and passes the results to workstation 621. Workstation 621 running SW 624, which includes a video player, utilizes CC text results to select keyframes from the video. Workstation 621 then generates interactive thumbnails from the selected keyframes representing topic or story-line-change occurrences in the
20 video. Selected text summaries are interactively linked to each representative thumbnail. The output from workstation 621 is passed on to VDS 619 where it may be uploaded to a video-presentation-server (VPS not shown) connected to backbone 613 and accessible to end users.

Alternatively, edited content may be sent via digital cable or the like
25 to a video broadcast server for transmission over digital cable to end users according to schedule. In a preferred embodiment, the Interactive magazine of the present invention is held in Internet network 603 at an appropriate

VPS server for on-demand user-access by virtue of Internet connection and download capability.

It will be apparent to one with skill in the art that the architecture presented herein may vary somewhat in specific dedication and connection
5 aspects without departing from the spirit and scope of the invention. For example, instead of an editing station having a LAN with individual workstations connected thereto, one powerful server may be provided and adapted to perform all of the automated editing functions described herein.

In one embodiment, source content may be delivered directly to off-
10 line station 617 via digital cable instead of using the Internet as a video collection medium. Likewise, equipment and SW required to create an interactive magazine from source material may be provided at source locations where it may be edited and then delivered directly to broadcast or download points. There are many possibilities. The architecture and
15 connection methods illustrated in this example are intended to represent a configuration that promotes automation and streamlined services according to a preferred embodiment among many possible alternative embodiments.

Fig. 7 is a block diagram illustrating topic-change detection and thumbnail-summary generation software 622 and 624 according to an
20 embodiment of the present invention. SW (622, 624) is illustrated as one layered application in this example, however, individual components thereof may be provided in a distributed fashion on more than one machine as was illustrated in Fig. 6 with SW 622 on workstation 623 and SW 624 on workstation 621.

25 SW (622, 624) comprises at least four SW layers 627, 629, 631, and 633. Each layer 627-633 is presented according to a hierarchical order of function starting from top to bottom. Arriving time-stamped CC files and digital video are split, with CC files going to a CC pre-processing layer 627

and the digital video going to a Keyframe-Selection/Thumbnail Generation layer 633.

Layer 627 acts to pre-process raw CC text such that it is presentable to the next SW layer 629. To this end, layer 627 contains a filter module 635, which is provided and adapted for eliminating unwanted characters present in the CC text that do not comprise actual words or punctuation. Layer 627 also contains a parser module 637, which is provided and adapted to “read” the CC text from each serial file and to identify and tag whole sentences as they appear serially from file to file in serial fashion.

Though certain closed caption text has special characters like ‘>>>’ or ‘>>’ to indicate a context change or a speaker change, they don’t clearly define any topic boundary.

In operation of parser module 637 in layer punctuation marks are first separated from the words in order to simplify the tagging process. For example, given the text **Mack (to John) said: "How much do you have?" I want \$10.** The parser module adds spaces to render the string as **Mack (to John) said : " How much do you have ? " I want \$ 10.** Next the CC texts are grouped into discrete sentences by analyzing the punctuation. Period (‘.’), Exclamation mark (‘!’) and Question mark (‘?’) are used as sentence terminators. In some cases the Period (‘.’) need not be sentence terminator, and these are guided by rules. (e.g. ‘www.innovatv.com’, ‘\$1290.90’).

SW layer 629 functions as a phrase and keyword extraction layer as is labeled. Layer 629 acts to identify key nouns, verbs and subjects contained in the CC text. A parsing module 639 is provided and adapted to scan incoming CC sentences identified in layer 627. A reference Lexicon interface 645 is provided and adapted to allow a SW interface to a separate database listing nouns, verbs and phrases. A lexicon (not shown) or other

reference library, to which interface 645 allows access, may be provided on a LAN-connected server as represented in Fig. 6 by RS server 625 connected to LAN 620 in editing station 617. A lexicon is a database of words and their most probable parts-of-speech, which is generated by using a manually tagged corpora, viz. PennTreeBank. A sample listing of Lexicon is shown below:

CAN [NN VB]
DECLINE [NN VB]
ABRAHAM [NNP] and so on.

The above listing states that the word **CAN** and **DECLINE** could be a noun or a verb, **ABRAHAM** is a proper noun.

Parser 639 works in conjunction with a tagging module and interface 645 to tag each word with the parts-of-speech it belongs to in the context of the CC sentence. This tagging is achieved in two stages. In the first stage the words are tagged by a simple look-up on the reference lexicon. And in the second stage, based on predefined rules the tags are modified to be in accordance with the context of the sentence. The output of parser 639 is fed to Phrase Extraction Module 643, which identifies the noun phrases, verb phrases, subject-nouns, and subject phrases. This process is performed according to the rules pre-set by the hosting enterprise.

The phrase rules contain a list of tag sequences that determine the phrase. For example, one of the tag sequences in the 'noun phrase tag rule' is "Determiner Noun" implying two consecutive words tagged as Determiner and Noun respectively would comprise a noun phrase.

Once the phrases are extracted, the Phrase Extraction Module 643 decides whether the CC sentence is complete. i.e. has a subject noun/noun phrase and has a predicate (a verb phrase followed by a noun phrase). Module 643 also decides the degree of dependency of the CC sentence to

the previous sentence. This is performed by determining if the pronoun words have any antecedent noun in the same sentence. If the antecedent nouns are in the same sentence then the CC sentence is not dependent to the previous one and is dependent otherwise. For example: **Wilson is expected to take the stand today in the sanity phase of his trial.**

Here **Wilson** is the antecedent noun to the pronoun **his** and this is a complete sentence, so this is not dependent to the previous one. On the other hand, consider the sentence: **There is a possibility that he may be trying to locate family in Mexico.** The pronoun **he** does not have any antecedent noun in the sentence and is hence dependent on the previous sentence.

Based on the number of pronouns, which have the antecedent nouns in the same sentence, and the number of pronouns which do not have, a dependency factor is assigned to the CC sentence

The CC sentences with low dependency factors are forwarded to layer 631 for further processing.

SW layer 631 functions as a topic change decision layer as is labeled. Layer 631 acts to determine when a topic change occurs based on rules including noun comparison as taken from tagged CC text sentences passed to it from layer 629. Layer 631 compares the identified subjects and nouns with most recently entered subjects and nouns with the aid of an adaptive knowledge base (KB). A KB interface module 647 is provided and adapted to allow SW access to a suitable KB.

An adaptive KB (not shown) may be held in RS 625 (Fig. 6) as described above in reference to Lexicon interface 645 of layer 629. A parser module 649 is provided and adapted to read the tagged sentences and to identify the nouns (keywords) contained therein. Parser 649 is similarly adapted to compare the most recent nouns with previously read nouns and indicate a topic change if the nouns do not suitably match. A text writer 651

is provided within layer 631 and is adapted to write a text summary comprising the first sentence or two marking a topic change. The summary will be used to describe a generated thumbnail depicting the new topic change as will be described below. The text writer also provides keywords for the particular topic.

An example of CC processing for topic change is presented below as might be taken from a news story describing a current disaster. A complete sentence extracted from CC text reads “Hundreds of people are dead, scores more are injured after a devastating earthquake in Taiwan”. Extracted nouns include people, earthquake, and Taiwan. If these nouns are not found in comparing with recent nouns extracted from previous sentences in CC text, then a decision is made that a new topic or story has begun in the newscast. If the same nouns, or significant instances, are found, then the decision is that the topic has not changed.

A next sentence, for example, reads “Taiwan’s government is now saying more than 1,500 people have died following the devastating earthquake”. Extracted nouns include Taiwan, government, people, and earthquake. A preponderance of the newly extracted nouns match recently extracted nouns therefore, the topic of the earthquake in Taiwan is still the same and has not changed.

A next extracted sentence reads “Residents along Florida’s West Coast are bracing for tropical storm Harvey”. Extracted nouns include residents, Florida, storm, West Coast, and Harvey. None of the newly extracted nouns match most recently extracted nouns. Therefore, there has been a topic change and a new story (about tropical storm Harvey) is being reported. Text writer 651 now utilizes the first few sentences marking the new topic as a summary for a generated thumbnail depicting storm Harvey.

It will be appreciated by one with skill in the art that the method and apparatus of the present invention can be used to identify topic or story line changes that occur in a wide variety of video content accompanied by CC text. In this example, a news program was chosen because the occurrence of several significantly unrelated stories in a same video segment provides distinct and clear topical definition from one topic to another. However, it may be that changing from one topic to another is less clearly defined. Such might be the case if two adjacent stories are closely related by nouns such as two separate fires burning in a same state.

An adaptive knowledge base in one embodiment of the invention plays a part in refining topic change techniques by providing more dynamic rules for comparing sentences. For example, if most of the newly entered nouns match those of the previous sentences but a few adjective words are markedly different from the same type of adjective words from previous sentences, then a new topic may be indicated. In an example, using a news coverage of two separate fires, CC phrases from the first story may read "A six thousand acre fire is burning in the Ventura County area at this hour. Mandatory evacuations have been ordered for southern portions of the county". CC sentences taken from the second story may read " Fire has burned 700 acres in the Shasta Trinity Forrest in Trinity County and continues to grow. There are no plans for immediate evacuations of the area."

It will be appreciated that the selected CC sentences appear very closely related in noun content. For example, the nouns common to both sets of sentences are fire, acre, area, evacuations and county. Nouns that are different include just Ventura and portions (first set), as opposed to Trinity and Forest (second set). Categorically speaking, the two separate stories fall under the same topic. If judged by nouns alone, the separate stories may be

judged as one topic hence no topic change. A generated thumbnail may show the first fire and be annotated with details of the first fire while completely ignoring any detail about the second fire.

By including a rule that considers proper nouns, adjective words and phrases into a categorical knowledge base, it would be clear that “Ventura” County is logically different from and geographically remote from “Trinity” County and that “6000” acres is far different than “700” acres. Therefore, a conflicting flag status indicating more than one logical conflict between the two sets of sentences could be used to indicate the topic change. An adaptive KB may be refined as the process continues by the addition of and categorization of many words and phrases.

The entire process performed by layers 627-631 may be adapted somewhat to the type of CC dialog content loaded into the processing sequence by pre-configuring rules and pre-loading a KB with similar categorical content for comparison. For example, a romantic movie may be judged by such dialog falling under the categories of love scenes, fight scenes, character interaction changes, and so on. There are many possibilities. Moreover, traditional SCD technologies may also be intermittently used where CC dialog is absent or slow.

Referring again to Fig. 7, layer 633 is responsible for key-frame selection and thumbnail generation as labeled. Layer 633 receives indication of a new topic change by presentation time stamp (where the change is indicated in the video segment) from layer 631. Layer 633 also receives a text summary rendered by text writer 651 of layer 631 to be used for annotating a generated thumbnail. As previously described, layer 633 receives the video files associated by reference (time stamp) with the CC text files processed in layers 627-631. A SW video player 653 is provided and

adapted to play the video segment frame by frame with capability of indexing to segments or frames indicated by time stamp.

A frame selection module 655 is provided within layer 633 and adapted to select a key frame appearing after indication of a topic change. A key frame represents a still shot appearing after a new topic has been detected. Rules regarding the exact key frame selected are pre-set by the hosting enterprise. For example, in a wholly automated embodiment, the rule may indicate to take the fifth frame after a topic change marker.

In one embodiment, a live editor may randomly check selected frames to make sure they match the new topic. Once a key frame is identified and selected, a thumbnail generator is provided for the purpose of producing an annotated thumbnail representing the topic change for insertion into an interactive magazine. The annotated portion of a user-selected thumbnail appears in a separate window as the result of a user initiated action such as a "mouse over", which is a common cursor action. Each generated thumbnail represents a story or topic with the annotation thereof being the first few sentences describing the new topic. Generated thumbnails appear near the main window of an interactive magazine next to each other in logical (serial) order according to how they appear in the video as is further described below.

Fig. 8 is an actual screen shot of an I-Mag user-interface illustrating topic-change thumbnails 660 and a topic-summary block 663 according to an embodiment of the present invention. I-Mag 659 appears on a user's monitor display as a playing movie with interactive controls and features accessible through cursor movement and selection. In this example, a news story about an earthquake is playing in a main window 661. Generated thumbnails 660 representing topic changes selected by mining CC text within the story of the earthquake appear below main window 661 and are

placed in logical order from top-left to bottom right. If there are more thumbnails than may fit in the area provided for the purpose, then a scroll feature may be added to allow a user to scroll through additional thumbnails.

5 In this example, listed thumbnails 660 represent topic changes within a same story covering a broad topic. However, it may be that only the first thumbnail represents the earthquake story and the remaining thumbnails 660 each represent different topical stories. This may be the case especially if the stories are very short. In still another example, a combination may be present such as the first three thumbnails representing topic changes in a first
10 story; the fourth and fifth representing changes in a second story; and the sixth through eighth representing changes in a third story, and so on.

Information block 663 is provided as a separate window in this embodiment. Window 663 is adapted to display a summary-text description of a thumbnail when the thumbnail is indicated by a mouse over or other
15 cursor or keyboard action. When a user moves the on-screen cursor over one of thumbnails 660, the appropriate text appears in window 663. If so desired, the user may elect to jump to that portion of the video by clicking on the appropriate thumbnail. A double click may bring up yet additional features like listing relative URL links related to that particular thumbnail.
20 There are many possibilities.

After interactive thumbnails have been created and linked to appropriate annotation summaries, the completed and edited video is packaged and uploaded to an I-Mag WEB server and held for on-demand access by WEB users as illustrated by a directional arrow labeled I-Mag
25 WEB server.

It will be apparent to one with skill in the art that there may be more or fewer software modules present in the functional layers illustrated herein without departing from the spirit and scope of the present invention. For

example, an additional software module for detecting commercials (not shown) may be provided to execute as part of the function of layer 633. Such a module may use a number of methods for determining the presence of a commercial. Among these are traditional SCD color variance or sound variance technologies. A commercial detecting module could also use the CC text to note that there's an ensuing commercial. E.g. a CC text reading **Stay with us** or **Coming up next** etc. would mean that a commercial is following. A rule base defining such texts indicating an ensuing commercial could be used. Such a module for detecting commercials may also be provided at the front of the CC processing sequence and note the commercials by the absence of CC captions.

In an alternative implementation of the present invention, in situations where CC text is not available, the invention may be accomplished by substituting a *voice-to text* (VTT) capability for the CC extraction. In this case, text versions of the voice track are created, and then analyzed and parsed in the same manner described above for the CC text. In a sense, in this embodiment, the CC text is being created on-the-fly, and then used as though it were available to be stripped, as in the examples described above.

It will also be clear to the skilled artisan that the example of a video magazine is but a single example of uses of embodiments of the present invention. The invention in more general terms provides a general technique for processing video clips and streams for topic changes. As a more general example, consider the case of a large video repository, wherein large numbers of video clips are collected and stored for future use. One may apply the techniques and apparatus of the present invention to analyze such video content for topics and for topic change interfaces, and may categorize the content according to the results.

As an example of more general use, assume a video library dedicated to tracking world-wide news events, and for following continuing developments in such events. One may collect the video by any conventional means, then process it according to embodiments of the present invention, using CC and/or VTT, and then parsing and text analysis to determine topics and topic changes. In the same process, global definition may be applied to store the processed content according to specific categories. For example, the system will be able to associate all topic sections about the Clinton scandal, the Gulf War, the presidential election, and so forth. Within the topic categories further categorization may be done, such as within the Gulf War category, topic sections may be established for land war, air war, and sea war, as well as for interest topics such as poison gas and the like. Through analysis hierarchical categorization may be done which will make later searching much more economical than previously. When a search is needed the search can be limited by invoking the higher-level categories.

The method and apparatus of the present invention may be used in the preprocessing of any video content accompanied by CC text or voice content, regardless of language. Moreover, rules governing the method of mining CC text and what parts of the text are compared in determining topic or story line changes may vary widely according to desire and material content. The invention should thus be granted broad latitude and be limited only by the claims, which follow.

1. A method for editing an analog video presentation, comprising steps of:
 - (a) extracting and time-stamping closed caption (CC) text or creating text versions of audio language content;
 - (b) digitizing the analog video;
 - (c) determining the position of topic changes in the video presentation by analyzing the CC or created text; and
 - (d) using the topic change positions in an edited version of the video presentation.

3. The method of claim 2 wherein the words compared from CC or created text include one or both of nouns and adjectives.

4. The method of claim 1 wherein, in step (d) there is a substep for selecting keyframes from the video presentation to be used in the edited version as thumbnails representing the topic changes.

5. The method of claim 4 wherein the thumbnails are arranged in an array together with a video presentation window in the edited version, and selecting a thumbnail causes the video presentation to jump to the position of the keyframe in the video presentation.

6. The method of claim 4 wherein step (d) also includes a substep for selecting specific CC or created text to be associated with individual ones of the thumbnails.

5 7. The method of claim 6 wherein the edited version further comprises a text window for displaying the specific CC or created text associated with each thumbnail, and text is displayed in response to a mouseover of each thumbnail.

10 8. A system for automatically creating presentations for a video magazine, comprising:

a digitizer and separator for receiving an analog video presentation, separating any CC text as text files or creating text versions of audio language content, and digitizing the video presentation; and

15 an editing station;

characterized in that the editing station receives the digitized video and the text files, determines positions of topic changes in the video presentation by analyzing the text files, and uses the topic change positions in preparing an edited version of the video presentation.

20

9. The system of claim 8 wherein determination of topic change position is made in part by comparing words in consecutive sentences in the text files.

10. The system of claim 9 wherein the words compared from CC or created
25 text include one or both of nouns and adjectives.

12. The system of claim 11 wherein the thumbnails are arranged in an array together with a video presentation window in the edited version, and selecting a thumbnail causes the video presentation to jump to the position of the keyframe in the video presentation.

14. The system of claim 13 wherein the edited version further comprises a
text window for displaying the specific text associated with each thumbnail,
15 and the text is displayed in response to a mouseover of each thumbnail.

15. The system of claim 8 wherein the digitizer sends the digitized video and time-stamped text files to the editing station via the Internet.

Abstract of the Disclosure

An automated video editing and indexing system is taught which has
5 application for such tasks as creating a presentation for a video magazine
and processing collections of video material in general. The system extracts
text either from closed captions (CC) contained in the analog video
presentation, or extracted from the voice contained in the presentation by
voice-to-text techniques, time-stamps the CC text in text files according to
10 position in the video presentation, and digitizes the video presentation. The
text files and digitized video are sent to an editing station, where the CC text
is analyzed using Natural Language Processing and other techniques to
determine topic changes in the presentation. Keyframes are selected to
represent the topic changes, and become thumbnails useful in indexing;
15 indexing meaning marking the video material at points of topic changes, and
in some cases jumping the video presentation to the positions represented by
the thumbnails. In some cases selected CC text is associated with the
thumbnails, and displayed in the video magazine as each thumbnail is
selected by mouseover.

20




Fig. 1




Fig. 2




Fig. 3




Fig. 4



Interactive

Feedback on Chef Larry Interactive

We value your feedback to the questions below:

1/6 Did you enjoy the Chef Larry Video magazine?:

- ☐ **Yes**
- ☐ **Somewhat**
- ☐ **No**

2/6 Would you like to have it as a regular feature on the Web?

- ☐ **Yes**
- ☐ **Maybe**
- ☐ **No**



Fig. 5

501




Fig. 6




Fig. 7




Fig. 8

DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

ATTORNEY DOCKET NO. P3718

As a below named inventor, I hereby declare that: My residence, post office address and citizenship are as stated below next to my name. I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled: Method and Apparatus for Indicating Story-Line Changes by Mining Closed-Caption-Text

the specification of which (check one) ☒ is attached hereto.

- ☐ was filed on: _____
☐ Application Serial No. _____
☐ and was amended on _____
 (If applicable)

I hereby state that I have reviewed and understood the contents of the above-identified specification, including the claims, as amended by any amendment referred to above. I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, § 1.56 (a). In the case that the present application is a continuation-in-part application, I further acknowledge the duty to disclose material information as defined in 37 CFR § 1.56(a) which became available between the filing date of the prior application and the filing date of the present application. I hereby claim foreign priority benefits under Title 35, United States Code § 119 of any foreign applications for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed.

Prior Foreign Application(s)

(Number)	(Country)	(Day/Month/Year Filed)
(Number)	(Country)	(Day/Month/Year Filed)

(Number)	(Country)	(Day/Month/Year Filed)
(Number)	(Country)	(Day/Month/Year Filed)

I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, §112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, §1.56(a) which occurred between the filing date of the prior application and the national or PCT international filing date of this application.

(Application Serial No.): 09/354,525 (Filing Date): 07/15/1999 (Status): pending

(Application Serial No.): _____ (Filing Date): _____ (Status): _____

(Application Serial No.): _____ (Filing Date): _____ (Status): _____

(Application Serial No.): _____ (Filing Date): _____ (Status): _____

(Application Serial No.): _____ (Filing Date): _____ (Status): _____

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith.
 (List name and registration number)

Name: Donald R. Boys

Reg No 35.074

SEND CORRESPONDENCE TO:

Donald R. Boys

P.O. Box 187

Aromas, CA 95004

DIRECT TELEPHONE CALLS TO:

Donald R. Boys (831) 726-1457

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Full name of sole or first inventor: Vijnan Shastri

1st inventor's signature: *Vijnan Shastri* Dated: 05/30/2000
Residence: 450 Sylvia Street, Encinitas, CA 92024 Citizenship: Indian
Post Office Address: Same

Full name of 2nd joint inventor, if any: Indranil Chakraborty

2nd inventor's signature: *Indranil Chakraborty* Dated: 05/30/00
Residence: 12633 El Camino Real #3408, San Diego, CA 92130 Citizenship: Indian
Post Office Address: Same

Full name of 3rd joint inventor, if any: _____

3rd inventor's signature: _____ Dated: _____
Residence: _____ Citizenship: _____
Post Office Address: _____

Full name of 4th joint inventor, if any: _____

4th inventor's signature: _____ Dated: _____
Residence: _____ Citizenship: _____
Post Office Address: _____

Full name of 5th joint inventor, if any: _____

5th inventor's signature: _____ Dated: _____
Residence: _____ Citizenship: _____
Post Office Address: _____

Full name of 6th joint inventor, if any: _____

6th inventor's signature: _____ Dated: _____
Residence: _____ Citizenship: _____
Post Office Address: _____

Full name of 7th joint inventor, if any: _____

7th inventor's signature: _____ Dated: _____
Residence: _____ Citizenship: _____
Post Office Address: _____

Full name of 8th joint inventor, if any: _____

8th inventor's signature: _____ Dated: _____
Residence: _____ Citizenship: _____
Post Office Address: _____